# RAYSAN Flexible Barrier POLYGUARD PUFFYGuard

## PALLET SUPPORT BARRIER

DESIGNED FOR EASY INSTALLATION, IDEAL FOR STORAGE AREAS WITH ELEVATED RACKS, IT ENSURES STABILITY AND SAFETY BY SECURELY CONTAINING GOODS AND REDUCING THE RISK OF ACCIDENTAL FALLS. ITS DURABLE CONSTRUCTION PROVIDES LONG—TERM PROTECTION, ENHANCING OPERATIONAL EFFICIENCY AND SAFEGUARDING BOTH INVENTORY AND WORKERS.

RAYSAN

### **STRONG AND LIGHTWEIGHT**

Thanks to its unique chemical formula, our barrier surpasses steel barriers in both strength and weight. It is significantly lighter while maintaining its exceptional durability.

### **MODULAR**

Thanks to its modular design, our barrier effortlessly adapts to the changing needs of your facility. This flexible solution is extremely easy to install, assemble, disassemble, relocate and organize.

### **CORROSION-FREE**

Unlike steel barriers, our barriers are made of durable polymer materials, making them unaffected by environmental elements such as sunlight and rainwater.

### NO PAINTING OR MAINTENANCE REQUIRED

Unlike Raysan's steel barriers that require regular painting and maintenance, our self-colored structure eliminates the need for these processes. Even if the barrier is scratched due to an impact, its surface retains its original color without any change.

### **UV-RESISTANT**


Our barriers are designed with exceptional resistance to UV radiation. Their chemical structure remains intact even after prolonged outdoor use, ensuring long-term durability.

### **ANTIMICROBIAL**


Our barriers have an exceptional chemical formula that prevents them from having any chemical reaction with the substances they come into contact with.

ADVANCED POLYMER, CRAFTED FROM A PREMIUM
BLEND OF SOPHISTICATED POLYOLEFINS AND RUBBER
ADDITIVES. THIS EXCLUSIVE COMPOSITION DELIVERS
UNMATCHED DURABILITY AND FLEXIBILITY. OUR
CUTTING-EDGE ENGINEERING PROCESS REORIENTS THE
MOLECULAR STRUCTURE DURING MANUFACTURING, ENDOWING THE
BARRIER WITH A UNIQUE BUILT-IN MEMORY. THIS INNOVATIVE
FEATURE ENSURES THAT THE BARRIER RECOVERS COMPLETELY AFTER
IMPACTS, MAINTAINING PEAK PERFORMANCE AND RELIABILITY.










### REQUIREMENTS







Rail Length Range [L]	Impact Zone
402/11 4404/11	

PALLET SUPPORT

4" x 4"





SUITABLE APPLICATION




WAREHOUSE PROTECTION SOLUTIONS

**STANDART COLORS** 

**RAL** 1018 **PANTONE** 123C

RAL 9005 PANTONE B6C

\*Please note that the RAL and PANTONE colours listed are the closest match to standard RAYSAN colours, but may not be exact matches of the actual product colour and should be used for guidance only.



### RAYSAN

AS RAYSAN, WE ARE PROUD TO PIONEER THE FUTURE OF INDUSTRIAL SAFETY. WITH OUR STATE—OF—THE—ART FLEXIBLE PROTECTIVE BARRIERS AND SOLUTIONS, WE ARE AT THE FOREFRONT OF INNOVATION, PROTECTING WORKPLACES AROUND THE WORLD. OUR COMMITMENT TO EXCELLENCE AND UNWAVERING DEDICATION TO ADVANCING SAFETY STANDARDS HAS PROPELLED US TO THE TOP OF THE INDUSTRY.

